



# Becatech

Interconnective Power




**Grommet (DA)**

## Technical Specification :

Material: polychloroprene rubber.  
Rated temperature while using: -30°C to 90°C.

## Drawing :



Type	Dimension $\varnothing A$	Dimension $\varnothing B$	Dimension $\varnothing C$	Dimension D
20/65/10	2	6.5	11	1
20/65/15	2	6.5	11	1.5
20/65/20	2	6.5	11	2
20/80/10	2	8	11	1
20/80/15	2	8	11	1.5
20/80/20	2	8	11	2
30/50/10	3	5	10	1
30/70/10	3	7	10	1
30/70/15	3	7	10	1.5
30/70/20	3	7	10	2

Becatech B.V.  
Middenweg 18  
3930 Hamont-Achel

info@becatech.be  
www.becatech.be  
+32 (0)11 19 29 45

IBAN BE89363217265185  
VAT BE0777.903.079  
CoC 0777.903.079



# Becatech


Interconnective Power

30/70/30	3	7	10	3
30/70/35	3	7	10	3.5
40/65/10	4	6.5	11	1
40/80/10	4	8	11	1
40/80/15	4	8	11	1.5
40/80/20	4	8	11	2
45/95/10	4.5	9.5	13	1
45/95/15	4.5	9.5	13	1.5
45/95/20	4.5	9.5	13	2
48/80/10	4.8	8	12	1
48/80/15	4.8	8	12	1.5
48/80/20	4.8	8	12	2
48/80/30	4.8	8	12	3
48/85/10	4.8	8.5	12	1
48/85/15	4.8	8.5	12	1.5
48/85/20	4.8	8.5	12	2
48/85/30	4.8	8.5	12	3
50/70/10	5	7	11	1
50/70/15	5	7	11	1.5
50/70/20	5	7	11	2
50/70/30	5	7	11	3
50/90/10	5	9	15	1
50/90/15	5	9	15	1.5
50/90/20	5	9	15	2
50/90/30	5	9	15	3
55/80/10	5.5	8	11	1
55/80/15	5.5	8	11	1.5
55/80/20	5.5	8	11	2
58/100/15	5.8	10	16	1.5
60/90/10	6	9	14	1
60/90/15	6	9	14	1.5
60/90/20	6	9	14	2
60/90/30	6	9	14	3
60/90/40	6	9	14	4
60/100/10	6	10	14	1
60/100/15	6	10	14	1.5
60/100/20	6	10	14	2
60/100/30	6	10	14	3
60/100/40	6	10	14	4
60/110/10	6	11	16	1
60/110/15	6	11	16	1.5

Becatech B.V.  
Middenweg 18  
3930 Hamont-Achel

info@becatech.be  
www.becatech.be  
+32 (0)11 19 29 45

IBAN BE89363217265185  
VAT BE0777.903.079  
CoC 0777.903.079



# Becatech


Interconnective Power

60/110/20	6	11	16	2
60/110/30	6	11	16	3
60/110/50	6	11	14	5
60/120/10	6	12	16	1
60/120/15	6	12	16	1.5
60/120/20	6	12	16	2
60/120/30	7	12	16	3
70/120/10	7	12	16	1
70/120/15	7	12	16	1.5
70/120/20	7	12	16	2
70/120/30	7	12	16	3
75/110/10	7.5	11	20	1
75/110/15	7.5	11	20	1.5
75/110/20	7.5	11	20	2
75/110/30	7.5	11	20	3
75/110/40	7.5	11	20	4
75/110/50	7.5	11	20	5
75/120/10	7.5	12	20	1
75/120/15	7.5	12	20	1.5
75/120/20	7.5	12	20	2
75/120/30	7.5	12	20	3
75/120/60	7.5	12	20	6
80/100/10	8	10	15	1
80/100/15	8	10	15	1.5
80/100/20	8	10	15	2
80/100/30	8	10	15	3
80/100/40	8	10	15	4
80/110/10	8	11	15	1
80/110/15	8	11	15	1.5
80/110/20	8	11	15	2
80/110/30	8	11	15	3
80/110/40	8	11	15	4
80/160/10	8	16	20	1
80/160/15	8	16	20	1.5
80/160/20	8	16	20	2
80/160/30	8	16	20	3
80/160/40	8	16	20	4
80/160/60	8	16	20	6
90/110/10	9	11	16	1
90/110/15	9	11	16	1.5

Becatech B.V.  
Middenweg 18  
3930 Hamont-Achel

info@becatech.be  
www.becatech.be  
+32 (0)11 19 29 45

IBAN BE89363217265185  
VAT BE0777.903.079  
CoC 0777.903.079



# Becatech

Interconnective Power

90/110/20	9	11	16	2
90/110/30	9	11	16	3
90/110/40	9	11	16	4
90/160/10	9	16	22	1
90/160/15	9	16	22	1.5
90/160/20	9	16	22	2
90/160/30	9	16	22	3
90/160/40	9	16	22	4
90/200/20	9	20	27	2
90/200/30	9	20	27	3
90/200/40	9	20	27	4
95/130/10	9.5	13	17.5	1
95/130/15	9.5	13	17.5	1.5
95/130/20	9.5	13	17.5	2
95/130/30	9.5	13	17.5	3
95/130/40	9.5	13	17.5	4
95/130/50	9.5	13	17.5	5
95/130/80	9.5	13	17.5	8
95/140/10	9.5	14	17.5	1
95/140/15	9.5	14	17.5	1.5
95/140/20	9.5	14	17.5	2
95/140/30	9.5	14	17.5	3
95/140/40	9.5	14	17.5	4
100/140/10	10	14	20	1
100/140/15	10	14	20	1.5
100/140/20	10	14	20	2
100/140/25	10	14	20	2.5
100/140/30	10	14	20	3
100/160/10	10	16	20	1
100/160/15	10	16	20	1.5
100/160/20	10	16	20	2
100/160/25	10	16	20	2.5
100/160/30	10	16	20	3
110/140/10	11	14	19	1
110/140/15	11	14	19	1.5
110/140/20	11	14	19	2
110/140/30	11	14	19	3
110/150/10	11	15	19	1
110/150/15	11	15	19	1.5
110/150/20	11	15	19	2

Becatech B.V.  
Middenweg 18  
3930 Hamont-Achel

info@becatech.be  
www.becatech.be  
+32 (0)11 19 29 45

IBAN BE89363217265185  
VAT BE0777.903.079  
CoC 0777.903.079



# Becatech


Interconnective Power

110/150/25	11	15	19	2.5
110/150/30	11	15	19	3
120/180/10	12	18	25	1
120/180/15	12	18	25	1.5
120/180/20	12	18	25	2
120/180/30	12	18	25	3
120/180/40	12	18	25	4
120/200/10	12	20	25	1
120/200/15	12	20	25	1.5
120/200/20	12	20	25	2
120/200/30	12	20	25	3
120/200/40	12	20	25	4
120/255/80	12	25.5	40	8
120/280/80	12	28	40	8
130/170/10	13	17	23	1
130/170/15	13	17	23	1.5
130/170/20	13	17	23	2
130/170/30	13	17	23	3
130/170/40	13	17	23	4
130/170/50	13	17	23	5
130/170/60	13	17	23	6
140/200/10	14	20	28	1
140/200/15	14	20	28	1.5
140/200/20	14	20	28	2
140/200/30	14	20	28	3
140/200/40	14	20	28	4
150/220/10	15	22	26	1
150/220/15	15	22	26	1.5
150/220/20	15	22	26	2
150/220/30	15	22	26	3
150/220/80	15	22	26	8
160/220/10	16	22	29.5	1
160/220/15	16	22	29.5	1.5
160/220/20	16	22	29.5	2
160/220/30	16	22	29.5	3
185/250/10	18.5	25	32.5	1
185/250/15	18.5	25	32.5	1.5
185/250/20	18.5	25	32.5	2
185/250/25	18.5	25	32.5	2.5
185/250/30	18.5	25	32.5	3
185/250/40	18.5	25	32.5	4

Becatech B.V.  
Middenweg 18  
3930 Hamont-Achel

info@becatech.be  
www.becatech.be  
+32 (0)11 19 29 45

IBAN BE89363217265185  
VAT BE0777.903.079  
CoC 0777.903.079



# Becatech

Interconnective Power

200/280/10	20	28	36	1
200/280/15	20	28	36	1.5
200/280/20	20	28	36	2
200/280/30	20	28	36	3
200/280/40	20	28	36	4
200/280/60	20	28	36	6
230/300/20	23	30	38	2
230/300/30	23	30	38	3
230/300/40	23	30	38	4
230/300/60	23	30	38	6
250/470/10	25	47	56.5	1
250/470/15	25	47	56.5	1.5
250/470/20	25	47	56.5	2
250/470/30	25	47	56.5	3
250/470/40	25	47	56.5	4
300/350/10	30	35	40	1
300/350/15	30	35	40	1.5
300/350/20	30	35	40	2
300/350/30	30	35	40	3
300/350/40	30	35	40	4
380/440/10	38	44	54	1
380/440/15	38	44	54	1.5
380/440/20	38	44	54	2
380/440/30	38	44	54	3
380/440/40	38	44	54	4
480/600/20	48	60	68	2
480/600/25	48	60	68	2.5
480/600/30	48	60	68	3
480/600/40	48	60	68	4
480/600/60	48	60	68	6

Becatech B.V.  
Middenweg 18  
3930 Hamont-Achel

info@becatech.be  
www.becatech.be  
+32 (0)11 19 29 45

IBAN BE89363217265185  
VAT BE0777.903.079  
CoC 0777.903.079